

**TŁUMACZENIE POŚWIADCZONE Z JĘZYKA ANGIELSKIEGO**  
[*Wszelkie uwagi tłumacza podano kursywą w nawiasach kwadratowych.*]

[*pionowy pasek z logo:*]

# ZAŚWIADCZENIE ZGODNOŚCI

DEKRA

Wydano dla: Jinko Solar Co., Ltd.  
No.1, Yingbin Road, Economic Development Zone, 334100 Shangrao City Jiangxi,  
China

Dla produktu: Moduły fotowoltaiczne z krzemu krystalicznego

Nazwa handlowa: Jinko

Typ/Model: szczegóły w załączniku 1

Parametry: Maksymalne napięcie systemowe:1000/1500 V; Klasa ochronności: Klasa II;  
Stopień ochrony: 1

Wyprodukowany przez: Jinko Solar Co., Ltd.  
No.1, Yingbin Road, Economic Development Zone, 334100 Shangrao City Jiangxi,  
China

Wymagania: IEC 60068-2-68:1994  
Badania środowiskowe produktów elektrycznych i elektronicznych  
Część 2: Metody testów - Test L: Pył i piasek  
Metoda: LC1

Niniejsze zaświadczenie zostało wydane na podstawie badania przeprowadzonego przez DEKRA Shanghai, którego wyniki zostały przedstawione w poufnym pliku nr 6077142 054 001,6077142 054 001, 6084449 052 001, 6084449 051 001, 6084461 050 001, 6088715.50A, 6084462A.50, 6106964E.50, 6106964E.51, 6106964E.52, 6106964E.53, 6106964E.54 i 6106964E.55.

Badanie zostało przeprowadzone na jednym egzemplarzu lub kilku egzemplarzach produktu, dostarczonych przez producenta. Zaświadczenie nie obejmuje oceny produkcji producenta. DEKRA nie ponosi odpowiedzialności za zgodność jego produkcji z próbką badaną przez DEKRA.

Arnhem, 15 grudnia 2022      Numer: 6106964.11AOC

DEKRA Testing and Certification (Shanghai) Ltd.

[*podpis nieczytelny*]  
C. Lin  
Kierownik ds. Certyfikacji

© Dozwolona jest integralna publikacja niniejszego zaświadczenia i powiązanych raportów

Strona 1 z 24

[logo:] **DEKRA**

## **ZAŁĄCZNIK**

Dokument nr : 6106964.11AOC

Typy: Napięcie systemowe 1000V:  
Moduły fotowoltaiczne z polikrystalicznymi krzemowymi ogniwami słonecznymi:  
72 ogniwa: JKMxxxPP-72 (xxx=320-355, co 5W)  
72 ogniwa: JKMxxxPP-72B (xxx=320-355, co 5W)  
72 ogniwa: JKMxxxPP-72(Plus) (xxx=320-355, co 5W)  
72 ogniwa: JKMSxxxPP-72 (xxx=320-355, co 5W)  
72 ogniwa: JKMSxxxPP-72-J (xxx=320-355, co 5W)  
72 ogniwa: JKMSxxxPP-72-MX3 (xxx=320-355, co 5W)  
72 ogniwa: JKMSxxxPP-72B-MX3 (xxx=320-355, co 5W)  
72 ogniwa: JKMSxxxPP-72L-MX3 (xxx=320-355, co 5W)  
72 ogniwa: JKMSxxxPP-72BL-MX3 (xxx=320-355, co 5W)  
60 ogniw: JKMxxxPP-60 (xxx=260-290, co 5W)  
60 ogniw: JKMxxxPP-60B (xxx=260-290, co 5W)  
60 ogniw: JKMxxxPP-60(Plus) (xxx=260-290, co 5W)  
60 ogniw: JKMSxxxPP-60 (xxx=260-290, co 5W)  
60 ogniw: JKMSxxxPP-60-J (xxx=260-290, co 5W)  
60 ogniw: JKMSxxxPP-60-MX3 (xxx=260-290, co 5W)  
60 ogniw: JKMSxxxPP-60B-MX3 (xxx=260-290, co 5W)  
60 ogniw: JKMSxxxPP-60L-MX3 (xxx=260-290, co 5W)  
60 ogniw: JKMSxxxPP-60BL-MX3 (xxx=260-290, co 5W)

Moduły fotowoltaiczne z polikrystalicznymi krzemowymi ogniwami słonecznymi  
typu half-cut:  
144 ogniwa typu half-cut: JKMxxxPP-72H (xxx=330-380, co 5W)  
144 ogniwa typu half-cut: JKMxxxPP-72HB (xxx=330-380, co 5W)  
144 ogniwa typu half-cut: JKMSxxxPP-72H-MX3 (xxx=330-380, co 5W)  
144 ogniwa typu half-cut: JKMSxxxPP-72HB-MX3 (xxx=330-380, co 5W)  
144 ogniwa typu half-cut: JKMSxxxPP-72HL-MX3 (xxx=330-380, co 5W)  
144 ogniwa typu half-cut: JKMSxxxPP-72HBL-MX3 (xxx=330-380, co 5W)  
120 ogniw typu half-cut: JKMxxxPP-60H (xxx=260-315, co 5W)  
120 ogniw typu half-cut: JKMxxxPP-60HB (xxx=260-315, co 5W)  
120 ogniw typu half-cut: JKMSxxxPP-60H-MX3 (xxx=260-315, co 5W)  
120 ogniw typu half-cut: JKMSxxxPP-60HB-MX3 (xxx=260-315, co 5W)  
120 ogniw typu half-cut: JKMSxxxPP-60HL-MX3 (xxx=260-315, co 5W)  
120 ogniw typu half-cut: JKMSxxxPP-60HBL-MX3 (xxx=260-315, co 5W)

[logo:] **DEKRA**

5W)

Moduły fotowoltaiczne z monokrystalicznymi krzemowymi ogniwami słonecznymi:

72 ogniwa: JKMxxxM-72 (xxx=335-410, co 5W)  
72 ogniwa: JKMxxxM-72L (xxx=335-410, co 5W)  
72 ogniwa: JKMxxxM-72B (xxx=335-410, co 5W)  
72 ogniwa: JKMxxxM-72BL (xxx=335-410, co 5W)  
72 ogniwa: JKMxxxM-72(Plus) (xxx=335-410, co 5W)  
72 ogniwa: JKMSxxxM-72 (xxx=335-410, co 5W)  
72 ogniwa: JKMSxxxM-72-J (xxx=335-410, co 5W)  
72 ogniwa: JKMSxxxM-72-MX3 (xxx=335-395, co 5W)  
72 ogniwa: JKMSxxxM-72B-MX3 (xxx=335-395, co 5W)  
72 ogniwa: JKMSxxxM-72L-MX3 (xxx=335-395, co 5W)  
72 ogniwa: JKMSxxxM-72BL-MX3 (xxx=335-395, co 5W)  
72 ogniwa: JKMSxxxM-72-TI (xxx=335-410, co 5W)  
72 ogniwa: JKMSxxxM-72L-TI (xxx=335-410, co 5W)  
72 ogniwa: JKMSxxxM-72B-TI (xxx=335-410, co 5W)  
72 ogniwa: JKMSxxxM-72BL-TI (xxx=335-410, co 5W)  
72 ogniwa: MMxxx-72LA-MB (xxx=335-410, co 5W)  
72 ogniwa: MMxxx-72LA-AB (xxx=335-410, co 5W)  
72 ogniwa: SMMxxx-72LA-MB-TI (xxx=335-410, co 5W)  
72 ogniwa: SMMxxx-72LA-AB-TI (xxx=335-410, co 5W)  
72 ogniwa: SMMxxx-72LA-MB-MX3 (xxx=335-395, co 5W)  
72 ogniwa: SMMxxx-72LA-AB-MX3 (xxx=335-395, co 5W)  
60 ogniw: JKMxxxM-60 (xxx=270-340, co 5W)  
60 ogniw: JKMxxxM-60L (xxx=270-340, co 5W)  
60 ogniw: JKMxxxM-60B (xxx=270-340, co 5W)  
60 ogniw: JKMxxxM-60BL (xxx=270-340, co 5W)  
60 ogniw: JKMxxxM-60(Plus) (xxx=270-340, co 5W)  
60 ogniw: JKMSxxxM-60 (xxx=270-340, co 5W)  
60 ogniw: JKMSxxxM-60-J (xxx=270-340, co 5W)  
60 ogniw: JKMSxxxM-60-MX3 (xxx=270-340, co 5W)  
60 ogniw: JKMSxxxM-60B-MX3 (xxx=270-340, co 5W)  
60 ogniw: JKMSxxxM-60L-MX3 (xxx=270-340, co 5W)  
60 ogniw: JKMSxxxM-60BL-MX3 (xxx=270-340, co 5W)  
60 ogniw: JKMSxxxM-60-TI (xxx=270-340, co 5W)  
60 ogniw: JKMSxxxM-60L-TI (xxx=270-340, co 5W)  
60 ogniw: JKMSxxxM-60B-TI (xxx=270-340, co 5W)  
60 ogniw: JKMSxxxM-60BL-TI (xxx=270-340, co 5W)  
60 ogniw: MMxxx-60LA-MB (xxx=270-340, co 5W)  
60 ogniw: MMxxx-60LA-AB (xxx=270-340, co 5W)  
60 ogniw: SMMxxx-60LA-MB-TI (xxx=270-340, co 5W)  
60 ogniw: SMMxxx-60LA-AB-TI (xxx=270-340, co 5W)  
60 ogniw: SMMxxx-60LA-MB-MX3 (xxx=270-340, co 5W)

[logo:] **DEKRA**

Moduły fotowoltaiczne z 6-calowymi monokrystalicznymi krzemowymi ogniwami słonecznymi typu half-cut:

- 156 ogniw typu half-cut: JKSM3-DFCA-xxx (xxx=400-440, co 5W)
- 156 ogniw typu half-cut: JKSM3-DHCA-xxx (xxx=400-450, co 5W)
- 156 ogniw typu half-cut: JKSN3-DHCA-xxx (xxx=410-440, co 5W)
- 156 ogniw typu half-cut: JKMxxxM-78H (xxx=405-465, co 5W)
- 156 ogniw typu half-cut: JKMxxxM-78HB (xxx=405-435, co 5W)
- 156 ogniw typu half-cut: JKMxxxM-78H-T (xxx=405-455, co 5W)
- 156 ogniw typu half-cut: JKMxxxN-78H-T (xxx=410-460, co 5W)
- 156 ogniw typu half-cut: JKMxxxM-7RL3 (xxx=430-495, co 5W)
- 156 ogniw typu half-cut: JKMxxxM-7RL3-J (xxx=430-495, co 5W)
- 156 ogniw typu half-cut: JKMxxxN-7RL3 (xxx=430-500, co 5W)
- 156 ogniw typu half-cut: JKMxxxM-7RL3-B (xxx=425-480, co 5W)
- 156 ogniw typu half-cut: JKMxxxN-7RL3-B (xxx=425-480, co 5W)
- 156 ogniw typu half-cut: JKMxxxN-7RL3-J (xxx=430-500, co 5W)
- 156 ogniw typu half-cut: JKMxxxM-7RL3-T (xxx=420-475, co 5W)
- 156 ogniw typu half-cut: JKMxxxM-7RL3-T-J (xxx=420-475, co 5W)
- 156 ogniw typu half-cut: JKMxxxN-7RL3-T (xxx=425-470, co 5W)
- 156 ogniw typu half-cut: JKMxxxN-7RL3-T-J (xxx=425-470, co 5W)
- 156 ogniw typu half-cut: JKMSxxxM-78H-TI (xxx=405-465, co 5W)
- 156 ogniw typu half-cut: JKMSxxxM-78HB-TI (xxx=405-435, co 5W)
- 156 ogniw typu half-cut: JKMSxxxM-7RL3-TI (xxx=430-495, co 5W)
- 156 ogniw typu half-cut: JKMSxxxN-7RL3-TI (xxx=430-500, co 5W)
- 156 ogniw typu half-cut: JKMSxxxM-7RL3-B-TI (xxx=425-480, co 5W)
- 156 ogniw typu half-cut: JKMSxxxN-7RL3-B-TI (xxx=425-480, co 5W)
- 156 ogniw typu half-cut: MMxxx-78HLA-MB (xxx=405-465, co 5W)
- 156 ogniw typu half-cut: MMxxx-78HLA-AB (xxx=405-435, co 5W)
- 156 ogniw typu half-cut: SMMxxx-78HLA-MB-TI (xxx=405-465, co 5W)
- 156 ogniw typu half-cut: SMMxxx-78HLA-AB-TI (xxx=405-435, co 5W)
- 156 ogniw typu half-cut: JKMxxxM-78H-MBB (xxx=440-465, co 5W)
- 156 ogniw typu half-cut: JKMSxxxM-78H-MBB-MX3 (xxx=440-465, co 5W)
- 156 ogniw typu half-cut: MM-78HLA-MB-MBB (xxx=440-465, co 5W)
- 156 ogniw typu half-cut: MMxxx-7RLC-MB (xxx=430-475, co 5W)
- 156 ogniw typu half-cut: SMMxxx-7RLC-MB-TI (xxx=430-475, co 5W)
- 156 ogniw typu half-cut: MMxxx-7RLC-AB (xxx=425-480, co 5W)
- 156 ogniw typu half-cut: SMMxxx-7RLC-AB-TI (xxx=425-480, co 5W)
- 156 ogniw typu half-cut: MNxxx-7RLC-MB (xxx=430-490, co 5W)
- 156 ogniw typu half-cut: SMNxxx-7RLC-MB-TI (xxx=430-490, co 5W)
- 156 ogniw typu half-cut: MNxxx-7RLC-AB (xxx=425-480, co 5W)
- 156 ogniw typu half-cut: SMNxxx-7RLC-AB-TI (xxx=425-480, co 5W)
- 156 ogniw typu half-cut: MMxxx-78HLA-MB-MBB (xxx=440-465, co 5W)
- 144 ogniw typu half-cut: JKMxxxM-72H-MBB-T (xxx=385-405, co 5W)

[logo:] **DEKRA**

- 144 ogniwa typu half-cut: JKMSxxxN-72H-MBB-T (xxx=390-420, co 5W)
- 144 ogniwa typu half-cut: JKMSxxxM-72H (xxx=335-425, co 5W)
- 144 ogniwa typu half-cut: JKMSxxxM-72HL (xxx=335-425, co 5W)
- 144 ogniwa typu half-cut: JKMSxxxM-72HB (xxx=335-425, co 5W)
- 144 ogniwa typu half-cut: JKMSxxxM-72HBL (xxx=335-425, co 5W)
- 144 ogniwa typu half-cut: JKMSxxxM-72H-MX3 (xxx=335-395, co 5W)
- 144 ogniwa typu half-cut: JKMSxxxM-72HB-MX3 (xxx=335-395, co 5W)
- 144 ogniwa typu half-cut: JKMSxxxM-72HL-MX3 (xxx=335-395, co 5W)
- 144 ogniwa typu half-cut: JKMSxxxM-72HBL-MX3 (xxx=335-395, co 5W)
- 144 ogniwa typu half-cut: JKMSxxxM-72HL-MX3-Q (xxx=335-395, co 5W)
- 144 ogniwa typu half-cut: JKMSxxxM-72HBL-MX3-Q (xxx=335-395, co 5W)
- 144 ogniwa typu half-cut: JKMSxxxM-72H-T (xxx=375-425, co 5W)
- 144 ogniwa typu half-cut: JKMSxxxM-72HL-T (xxx=375-425, co 5W)
- 144 ogniwa typu half-cut: JKMSxxxM-72HL-T-Q (xxx=375-425, co 5W)
- 144 ogniwa typu half-cut: JKMSxxxN-72H-T (xxx=375-425, co 5W)
- 144 ogniwa typu half-cut: JKMSxxxN-72HL-T (xxx=375-425, co 5W)
- 144 ogniwa typu half-cut: JKMSxxxM-72H-MBB (xxx=385-425, co 5W)
- 144 ogniwa typu half-cut: JKMSxxxN-72H-MBB (xxx=385-425, co 5W)
- 144 ogniwa typu half-cut: JKMSxxxM-72H-TI (xxx=335-425, co 5W)
- 144 ogniwa typu half-cut: JKMSxxxM-72HL-TI (xxx=335-425, co 5W)
- 144 ogniwa typu half-cut: JKMSxxxM-72HB-TI (xxx=335-425, co 5W)
- 144 ogniwa typu half-cut: JKMSxxxM-72HBL-TI (xxx=335-425, co 5W)
- 144 ogniwa typu half-cut: JKMSxxxM-72HL-Q (xxx=335-425, co 5W)
- 144 ogniwa typu half-cut: JKMSxxxM-72HBL-Q (xxx=335-425, co 5W)
- 144 ogniwa typu half-cut: JKMSxxxM-72HL-TI-Q (xxx=335-425, co 5W)
- 144 ogniwa typu half-cut: JKMSxxxM-72HBL-TI-Q (xxx=335-425, co 5W)
- 144 ogniwa typu half-cut: JKMSxxxM-72H-MBB-TI (xxx=385-425, co 5W)
- 144 ogniwa typu half-cut: JKMSxxxM-72H-MBB-MX3 (xxx=385-425, co 5W)
- 144 ogniwa typu half-cut: JKMSxxxN-72H-MBB-TI (385-425, co 5W)
- 144 ogniwa typu half-cut: JKMSxxxN-72H-MBB-B (xxx=380-400, co 5W)
- 144 ogniwa typu half-cut: JKMSxxxN-72H-MBB-B-TI (xxx=380-400, co 5W)
- 144 ogniwa typu half-cut: JKMSxxxM-72HLM (xxx=420-465, co 5W)
- 144 ogniwa typu half-cut: JKMSxxxM-72HLM-MX3 (xxx=420-465, co 5W)
- 144 ogniwa typu half-cut: MMxxx-72HLA-MB (xxx=335-425, co 5W)
- 144 ogniwa typu half-cut: MMxxx-72HLA-AB (xxx=335-425, co 5W)
- 144 ogniwa typu half-cut: SMMxxx-72HLA-MB-TI (xxx=335-425, co 5W)
- 144 ogniwa typu half-cut: SMMxxx-72HLA-AB-TI (xxx=335-425, co 5W)

[logo:] **DEKRA**

144 ogniwa typu half-cut: MMxxx-72HLA-BB (xxx=375-425, co 5W)  
144 ogniwa typu half-cut: SMMxxx-72HLA-MB-MX3 (xxx=335-395, co 5W)  
144 ogniwa typu half-cut: SMMxxx-72HLA-AB-MX3 (xxx=335-395, co 5W)  
144 ogniwa typu half-cut: MM-72HLA-MB-MBB (xxx=385-425, co 5W)  
144 ogniwa typu half-cut: SMM-72HLA-MB-MBB-TI (xxx=385-425, co 5W)  
144 ogniwa typu half-cut: MNxxx-72HLA-MB-MBB (xxx=385-425, co 5W)  
144 ogniwa typu half-cut: SMNxxx-72HLA-MB-MBB-TI(xxx=385-425, co 5W)  
144 ogniwa typu half-cut: MNxxx-72HLA-AB-MBB (xxx=380-400, co 5W)  
144 ogniwa typu half-cut: SMNxxx-72HLA-AB-MBB-TI (xxx=380-400, co 5W)  
144 ogniwa typu half-cut: MMxxx-72HLM-MB (xxx=420-465, co 5W)  
144 ogniwa typu half-cut: JKMxxxN-72HL3-MBB-B (xxx=400-445, co 5W)  
144 ogniwa typu half-cut: MMxxx-72HLA-MB-MBB (xxx=385-425, co 5W)  
144 ogniwa typu half-cut: SMMxxx-72HLA-MB-MBB-TI (xxx=385-425, co 5W)  
144 ogniwa typu half-cut: JKMxxxM-72HLM-B (xxx=415-445, co 5W)  
144 ogniwa typu half-cut: JKMSxxxM-72HLM-B-MX3 (xxx=415-445, co 5W)  
132 ogniwa typu half-cut: JKSM3-CFCA-xxx (xxx=335-370, co 5W)  
132 ogniwa typu half-cut: JKSM3-CHCA-xxx (xxx=340-380, co 5W)  
132 ogniwa typu half-cut: JKSN3-CHCA-xxx (xxx=345-370, co 5W)  
132 ogniwa typu half-cut: JKMxxxM-66H (xxx=340-390, co 5W)  
132 ogniwa typu half-cut: JKMxxxM-66HB (xxx=340-365, co 5W)  
132 ogniwa typu half-cut: JKMxxxM-66H -T(xxx=340-385, co 5W)  
132 ogniwa typu half-cut: JKMxxxN-66H -T(xxx=345-385, co 5W)  
132 ogniwa typu half-cut: JKMxxxM-6RL3 (xxx=360-415, co 5W)  
132 ogniwa typu half-cut: JKMxxxM-6RL3-B (xxx=360-405, co 5W)  
132 ogniwa typu half-cut: JKMxxxN-6RL3-B (xxx=360-425, co 5W)  
132 ogniwa typu half-cut: JKMxxxM-6RL3-J (xxx=360-415, co 5W)  
132 ogniwa typu half-cut: JKMxxxN-6RL3 (xxx=360-420, co 5W)  
132 ogniwa typu half-cut: JKMxxxN-6RL3-J (xxx=360-420, co 5W)  
132 ogniwa typu half-cut: JKMxxxM-6RL3-T (xxx=355-400, co 5W)  
132 ogniwa typu half-cut: JKMxxxM-6RL3-T-J (xxx=355-400, co 5W)  
132 ogniwa typu half-cut: JKMxxxN-6RL3-T (xxx=355-400, co 5W)  
132 ogniwa typu half-cut: JKMxxxN-6RL3-T-J (xxx=355-400, co 5W)  
132 ogniwa typu half-cut: JKMSxxxM-6RL3-TI (xxx=360-415, co 5W)  
132 ogniwa typu half-cut: JKMSxxxM-6RL3-MX3 (xxx=360-415, co 5W)

[logo:] **DEKRA**

132 ogniwa typu half-cut: JKMSxxxN-6RL3-TI (xxx=360-420, co 5W)  
132 ogniwa typu half-cut: JKMSxxxN-6RL3-MX3 (xxx=360-420, co 5W)  
132 ogniwa typu half-cut: JKMSxxxM-6RL3-B-TI (xxx=360-405, co 5W)  
132 ogniwa typu half-cut: JKMSxxxM-6RL3-B-MX3 (xxx=360-405, co 5W)  
132 ogniwa typu half-cut: JKMSxxxN-6RL3-B-TI (xxx=360-425, co 5W)  
132 ogniwa typu half-cut: JKMSxxxN-6RL3-B-MX3 (xxx=360-425, co 5W)  
132 ogniwa typu half-cut: JKMSxxxM-66H-TI (xxx=340-390, co 5W)  
132 ogniwa typu half-cut: MMxxx-66HLA-MB (xxx=340-390, co 5W)  
132 ogniwa typu half-cut: MMxxx-66HLA-AB (xxx=340-365, co 5W)  
132 ogniwa typu half-cut: SMMxxx-66HLA-MB-TI (xxx=340-390, co 5W)  
132 ogniwa typu half-cut: SMMxxx-66HLA-AB-TI (xxx=340-365, co 5W)  
132 ogniwa typu half-cut: JKMSxxxM-66HB-TI (xxx=340-365, co 5W)  
132 ogniwa typu half-cut: JKMxxxM-66H-MBB (xxx=370-390, co 5W)  
132 ogniwa typu half-cut: JKMSxxxM-66H-MBB-MX3 (xxx=370-390, co 5W)  
132 ogniwa typu half-cut: MM-66HLA-MB-MBB (xxx=370-390, co 5W)  
132 ogniwa typu half-cut: MMxxx-6RLC-MB (xxx=360-400, co 5W)  
132 ogniwa typu half-cut: SMMxxx-6RLC-MB-TI (xxx=360-400, co 5W)  
132 ogniwa typu half-cut: MMxxx-6RLC-AB (xxx=360-405, co 5W)  
132 ogniwa typu half-cut: SMMxxx-6RLC-AB-TI (xxx=360-405, co 5W)  
132 ogniwa typu half-cut: MNxxx-6RLC-MB (xxx=360-410, co 5W)  
132 ogniwa typu half-cut: SMNxxx-6RLC-MB-TI (xxx=360-410, co 5W)  
132 ogniwa typu half-cut: MNxxx-6RLC-AB (xxx=360-405, co 5W)  
132 ogniwa typu half-cut: SMNxxx-6RLC-AB-TI (xxx=360-405, co 5W)  
132 ogniwa typu half-cut: MMxxx-66HLA-MB-MBB (xxx=370-390, co 5W)  
120 ogniw typu half-cut: JKMxxxN-6TL3-B (xxx=320-385, co 5W)  
120 ogniw typu half-cut: JKMSxxxN-6TL3-B-TI (xxx=320-385, co 5W)  
120 ogniw typu half-cut: JKMSxxxN-6TL3-B-MX3 (xxx=320-385, co 5W)  
120 ogniw typu half-cut: JKMxxxM-6TL3 (xxx=335-380, co 5W)  
120 ogniw typu half-cut: JKMxxxN-6TL3 (xxx=335-390, co 5W)  
120 ogniw typu half-cut: JKMxxxM-6TL3-T (xxx=325-365, co 5W)  
120 ogniw typu half-cut: JKMxxxN-6TL3-T (xxx=325-365, co 5W)  
120 ogniw typu half-cut: JKMSxxxM-6TL3-TI (xxx=335-380, co 5W)  
120 ogniw typu half-cut: JKMSxxxM-6TL3-MX3 (xxx=335-380, co 5W)  
120 ogniw typu half-cut: JKMSxxxN-6TL3-TI (xxx=335-390, co 5W)  
120 ogniw typu half-cut: JKMSxxxN-6TL3-MX3 (xxx=335-390, co 5W)  
120 ogniw typu half-cut: JKMxxxM-60H-MBB-T (xxx=320-335, co 5W)  
120 ogniw typu half-cut: JKMxxxN-60H-MBB-T (xxx=330-350, co 5W)  
120 ogniw typu half-cut: JKMxxxM-60H-MBB (xxx=320-355, co 5W)  
120 ogniw typu half-cut: JKMSxxxM-60H-MBB-TI (xxx=320-355, co 5W)

[logo:] **DEKRA**

120 ogniw typu half-cut: JKMSxxxM-60H-MBB-MX3 (xxx=320-355, co 5W)  
120 ogniw typu half-cut: JKMSxxxN-60H-MBB (xxx=320-350, co 5W)  
120 ogniw typu half-cut: JKMSxxxN-60H-MBB-TI (xxx=320-350, co 5W)  
120 ogniw typu half-cut: JKMSxxxM-60H (xxx=270-350, co 5W)  
120 ogniw typu half-cut: JKMSxxxM-60HL (xxx=270-350, co 5W)  
120 ogniw typu half-cut: JKMSxxxM-60HB (xxx=270-350, co 5W)  
120 ogniw typu half-cut: JKMSxxxM-60HBL (xxx=270-350, co 5W)  
120 ogniw typu half-cut: JKMSxxxM-60H-TI (xxx=270-350, co 5W)  
120 ogniw typu half-cut: JKMSxxxM-60HL-TI (xxx=270-350, co 5W)  
120 ogniw typu half-cut: JKMSxxxM-60HB-TI (xxx=270-350, co 5W)  
120 ogniw typu half-cut: JKMSxxxM-60HBL-TI (xxx=270-350, co 5W)  
120 ogniw typu half-cut: JKMSxxxM-60H-MX3 (xxx=270-340, co 5W)  
120 ogniw typu half-cut: JKMSxxxM-60HB-MX3 (xxx=270-340, co 5W)  
120 ogniw typu half-cut: JKMSxxxM-60HL-MX3 (xxx=270-340, co 5W)  
120 ogniw typu half-cut: JKMSxxxM-60HBL-MX3 (xxx=270-340, co 5W)  
120 ogniw typu half-cut: JKMSxxxM-60HL-MX3-Q (xxx=270-340, co 5W)  
120 ogniw typu half-cut: JKMSxxxM-60HBL-MX3-Q (xxx=270-340, co 5W)  
120 ogniw typu half-cut: JKMSxxxM-60H-T (xxx=315-355, co 5W)  
120 ogniw typu half-cut: JKMSxxxM-60HL-T (xxx=315-355, co 5W)  
120 ogniw typu half-cut: JKMSxxxM-60HL-T-Q (xxx=315-335, co 5W)  
120 ogniw typu half-cut: MMxxx-60HLA-BB (xxx=315-355, co 5W)  
120 ogniw typu half-cut: JKMSxxxN-60H-T (xxx=315-355, co 5W)  
120 ogniw typu half-cut: JKMSxxxN-60HL-T (xxx=315-355, co 5W)  
120 ogniw typu half-cut: JKMSxxxM-60HL-Q (xxx=270-350, co 5W)  
120 ogniw typu half-cut: JKMSxxxM-60HBL-Q (xxx=270-375, co 5W)  
120 ogniw typu half-cut: JKMSxxxM-60HL-TI-Q (xxx=270-350, co 5W)  
120 ogniw typu half-cut: JKMSxxxM-60HBL-TI-Q (xxx=270-350, co 5W)  
120 ogniw typu half-cut: SMMxxx-60HLA-MB-MX3 (xxx=270-340, co 5W)  
120 ogniw typu half-cut: SMMxxx-60HLA-AB-MX3 (xxx=270-340, co 5W)  
120 ogniw typu half-cut: JKMSxxxN-60H-MBB-B (xxx=315-330, co 5W)  
120 ogniw typu half-cut: JKMSxxxN-60H-MBB-B-TI (xxx=315-330, co 5W)  
120 ogniw typu half-cut: JKMSxxxM-60HLM (xxx=350-385, co 5W)  
120 ogniw typu half-cut: JKMSxxxM-60HLM-MX3 (xxx=350-385, co 5W)  
120 ogniw typu half-cut: JKMSxxxM-6TL3-B (xxx=320-365, co 5W)  
120 ogniw typu half-cut: JKMSxxxM-6TL3-B-TI (xxx=320-365, co 5W)



[logo:] **DEKRA**

120 ogniw typu half-cut: JKMSxxxM-6TL3-B-MX3 (xxx=320-365, co 5W)  
120 ogniw typu half-cut: MMxxx-60HLA-MB (xxx=270-350, co 5W)  
120 ogniw typu half-cut: MMxxx-60HLA-AB (xxx=270-350, co 5W)  
120 ogniw typu half-cut: SMMxxx-60HLA-MB-TI (xxx=270-350, co 5W)  
120 ogniw typu half-cut: SMMxxx-60HLA-AB-TI (xxx=270-350, co 5W)  
120 ogniw typu half-cut: MMxxx-6TLC-MB (xxx=335-365, co 5W)  
120 ogniw typu half-cut: SMMxxx-6TLC-MB-TI (xxx=335-365, co 5W)  
120 ogniw typu half-cut: MMxxx-60HLA-MB-MBB (xxx=320-355, co 5W)  
120 ogniw typu half-cut: SMMxxx-60HLA-MB-MBB-TI (xxx=320-355, co 5W)  
120 ogniw typu half-cut: MMxxx-6TLC-AB (xxx=320-365, co 5W)  
120 ogniw typu half-cut: SMMxxx-6TLC-AB-TI (xxx=320-365, co 5W)  
120 ogniw typu half-cut: MNxxx-6TLC-MB (xxx=335-375, co 5W)  
120 ogniw typu half-cut: SMNxxx-6TLC-MB-TI (xxx=335-375, co 5W)  
120 ogniw typu half-cut: MNxxx-60HLA-MB-MBB (xxx=320-350, co 5W)  
120 ogniw typu half-cut: SMNxxx-60HLA-MB-MBB-TI (xxx=320-350, co 5W)  
120 ogniw typu half-cut: MNxxx-6TLC-AB (xxx=320-365, co 5W)  
120 ogniw typu half-cut: SMNxxx-6TLC-AB-TI (xxx=320-365, co 5W)  
120 ogniw typu half-cut: MNxxx-60HLA-AB-MBB (xxx=315-330, co 5W)  
120 ogniw typu half-cut: SMNxxx-60HLA-AB-MBB-TI (xxx=315-330, co 5W)  
120 ogniw typu half-cut: MMxxx-60HLM-MB (xxx=350-385, co 5W)  
120 ogniw typu half-cut: JKMxxxN-60HL3-MBB-B (xxx=330-370 co 5W)  
120 ogniw typu half-cut: MMxxx-60HLA-MB-MBB (xxx=320-355 co 5W)  
120 ogniw typu half-cut: SMMxxx-60HLA-MB-MBB-TI (xxx=320-355 co 5W)  
120 ogniw typu half-cut: JKMxxxM-60HLM-B (xxx=350-370 co 5W)  
120 ogniw typu half-cut: JKMSxxxM-60HLM-B-MX3 (xxx=350-370 co 5W)  
96 ogniw typu half-cut: JKMxxxN-48H-MBB-B (xxx=255-265, co 5W)  
96 ogniw typu half-cut: JKMxxxN-48HL3-MBB-B (xxx=270-295, co 5W)  
72 ogniwa typu half-cut: JKMxxxM-36H (xxx=195-205, co 5W)  
64 ogniwa typu half-cut: JKMxxxN-32H-MBB-B (xxx=170-175, co 5W)  
64 ogniwa typu half-cut: JKMxxxN-32HL3-MBB-B (xxx=180-195, co 5W)

Moduły fotowoltaiczne z 7-calowymi monokrystalicznymi krzemowymi ogniwami słonecznymi typu half-cut:

[logo:] **DEKRA**

156 ogniw typu half-cut: JKMxxxN-78HL4 (xxx=570-625, co 5W)  
156 ogniw typu half-cut: JKMxxxM-7RL4 (xxx=535-590, co 5W)  
156 ogniw typu half-cut: JKMxxxM-7RL4-J (xxx=535-590, co 5W)  
156 ogniw typu half-cut: JKMxxxN-7RL4 (xxx=535-590, co 5W)  
156 ogniw typu half-cut: JKMxxxM-7RL4-B (xxx=540-575, co 5W)  
156 ogniw typu half-cut: JKMxxxN-7RL4-B (xxx=540-575, co 5W)  
156 ogniw typu half-cut: MMxxx-7RLD-MB (xxx=535-590, co 5W)  
156 ogniw typu half-cut: MNxxx-7RLD-MB (xxx=535-590, co 5W)  
144 ogniwa typu half-cut: JKMxxxM-7TL4 (xxx=495-570, co 5W)  
144 ogniwa typu half-cut: JKMxxxM-7TL4-J (xxx=495-570, co 5W)  
144 ogniwa typu half-cut: JKMxxxN-7TL4 (xxx=495-600, co 5W)  
144 ogniwa typu half-cut: JKMxxxN-7TL4R (xxx=495-600, co 5W)  
144 ogniwa typu half-cut: JKMxxxM-7TL4-B (xxx=495-530, co 5W)  
144 ogniwa typu half-cut: JKMxxxN-7TL4-B (xxx=495-530, co 5W)  
144 ogniwa typu half-cut: JKMxxxM-72HL4 (xxx=475-570, co 5W)  
144 ogniwa typu half-cut: JKMxxxM-72HL4-J (xxx=475-570, co 5W)  
144 ogniwa typu half-cut: JKMxxxN-72HL4 (xxx=485-615, co 5W)  
144 ogniwa typu half-cut: JKMxxxN-72HL4R (xxx=485-615, co 5W)  
144 ogniwa typu half-cut: JKMxxxM-72HL4-B (xxx=515-535, co 5W)  
144 ogniwa typu half-cut: JKMxxxN-72HL4-B (xxx=510-535, co 5W)  
144 ogniwa typu half-cut: MMxxx-72HLD-MB (xxx=475-570, co 5W)  
144 ogniwa typu half-cut: MMxxx-7TLD-MB (xxx=495-540, co 5W)  
144 ogniwa typu half-cut: MNxxx-72HLD-MB (xxx=485-555, co 5W)  
144 ogniwa typu half-cut: MNxxx-7TLD-MB (xxx=495-540, co 5W)  
132 ogniwa typu half-cut: JKMxxxM-66HL4 (xxx=440-505, co 5W)  
132 ogniwa typu half-cut: JKMxxxN-66HL4 (xxx=445-525, co 5W)  
132 ogniwa typu half-cut: JKMxxxM-66HL4-B (xxx=465-490, co 5W)  
132 ogniwa typu half-cut: JKMxxxN-66HL4-B (xxx=465-490, co 5W)  
132 ogniwa typu half-cut: JKMxxxM-6RL4 (xxx=455-495, co 5W)  
132 ogniwa typu half-cut: JKMxxxN-6RL4 (xxx=455-495, co 5W)  
132 ogniwa typu half-cut: JKMxxxM-6RL4-B (xxx=455-485, co 5W)  
132 ogniwa typu half-cut: JKMxxxN-6RL4-B (xxx=455-485, co 5W)  
132 ogniwa typu half-cut: MMxxx-66HLD-MB (xxx=440-505, co 5W)  
132 ogniwa typu half-cut: MMxxx-6RLD-MB (xxx=455-495, co 5W)  
132 ogniwa typu half-cut: MNxxx-66HLD-MB (xxx=445-505, co 5W)  
132 ogniwa typu half-cut: MNxxx-6RLD-MB (xxx=455-495, co 5W)  
120 ogniw typu half-cut: JKMxxxM-60HL4 (xxx=400-470, co 5W)  
120 ogniw typu half-cut: JKMxxxN-60HL4 (xxx=405-510, co 5W)  
120 ogniw typu half-cut: JKMxxxN-60HL4R (xxx=405-510, co 5W)  
120 ogniw typu half-cut: JKMxxxM-60HL4-B (xxx=425-445, co 5W)  
120 ogniw typu half-cut: JKMxxxN-60HL4-B (xxx=425-470, co 5W)  
120 ogniw typu half-cut: JKMxxxM-6TL4 (xxx=415-450, co 5W)  
120 ogniw typu half-cut: JKMxxxN-6TL4 (xxx=415-450, co 5W)  
120 ogniw typu half-cut: JKMxxxM-6TL4-B (xxx=415-440, co 5W)

[logo:] **DEKRA**

120 ogniw typu half-cut: JKMxxxN-6TL4-B (xxx=415-440, co 5W)  
120 ogniw typu half-cut: MMxxx-60HLD-MB (xxx=400-470, co 5W)  
120 ogniw typu half-cut: MMxxx-6TLD-MB (xxx=415-450, co 5W)  
120 ogniw typu half-cut: MNxxx-60HLD-MB (xxx=405-460, co 5W)  
120 ogniw typu half-cut: MNxxx6TLD-MB (xxx=415-450, co 5W)  
108 ogniw typu half-cut: JKMxxxM-5RL4 (xxx=375-405, co 5W)  
108 ogniw typu half-cut: JKMxxxM-54HL4 (xxx=360-420, co 5W)  
108 ogniw typu half-cut: JKMxxxN-54HL4 (xxx=360-455, co 5W)  
108 ogniw typu half-cut: JKMxxxN-54HL4R (xxx=365-455, co 5W)  
108 ogniw typu half-cut: JKMxxxN-5RL4 (xxx=375-460, co 5W)  
108 ogniw typu half-cut: JKMxxxM-54HL4-B (xxx=380-405, co 5W)  
108 ogniw typu half-cut: JKMxxxN-54HL4-B (xxx=380-450, co 5W)  
108 ogniw typu half-cut: JKMxxxN-54HL4R-B (xxx=380-450, co 5W)  
108 ogniw typu half-cut: JKMxxxM-5RL4-B (xxx=375-395, co 5W)  
108 ogniw typu half-cut: JKMxxxN-5RL4-B (xxx=375-455, co 5W)  
108 ogniw typu half-cut: MMxxx-54HLD-MB (xxx=360-420, co 5W)  
108 ogniw typu half-cut: MMxxx-5RLD-MB (xxx=375-405, co 5W)  
108 ogniw typu half-cut: MNxxx-54HLD-MB (xxx=365-415, co 5W)  
108 ogniw typu half-cut: MNxxx5RLD-MB (xxx=375-405, co 5W)

Moduły fotowoltaiczne z 8-calowymi monokrystalicznymi krzemowymi ogniwami słonecznymi typu half-cut:

132 ogniwa typu half-cut: JKxxxM-66R5-MW (xxx=630-665, co 5W)  
132 ogniwa typu half-cut: JKxxxM-66H5-MW (xxx=635-670, co 5W)

Napięcie systemowe 1500V:

Moduły fotowoltaiczne z polikrystalicznymi krzemowymi ogniwami słonecznymi:

72 ogniwa: JKMxxxPP-72-V (xxx=250-390, co 5W)  
72 ogniwa: JKMxxxPP-72B-V (xxx=320-355, co 5W)  
72 ogniwa: JKMxxxPP-72(Plus)-V (xxx=320-355, co 5W)  
72 ogniwa: JKMxxxPP-72-V-J (xxx=250-390, co 5W)  
72 ogniwa: JKMxxxP-72-V (xxx=250-390, co 5W)  
72 ogniwa: JKMxxxP-72-V-J (xxx=250-390, co 5W)  
72 ogniwa: JKMSxxxPP-72-V (xxx=320-355, co 5W)  
72 ogniwa: JKMSxxxPP-72-V-J (xxx=320-355, co 5W)  
72 ogniwa: JKMSxxxPP-72-V-MX3 (xxx=320-355, co 5W)  
72 ogniwa: JKMSxxxPP-72B-V-MX3 (xxx=320-355, co 5W)  
72 ogniwa: JKMSxxxPP-72L-V-MX3 (xxx=320-355, co 5W)  
72 ogniwa: JKMSxxxPP-72BL-V-MX3 (xxx=320-355, co 5W)  
60 ogniw: JKMxxxP-60-V (xxx=210-325, co 5W)  
60 ogniw: JKMxxxP-60-V-J (xxx=210-325, co 5W)  
60 ogniw: JKMxxxPP-60-V (xxx=210-325, co 5W)  
60 ogniw: JKMxxxPP-60B-V (xxx=260-290, co 5W)  
60 ogniw: JKMxxxPP-60-V-J (xxx=210-325, co 5W)  
60 ogniw: JKMSxxxPP-60-V (xxx=260-290, co 5W)

[logo:] **DEKRA**

60 ogniw: JKMSxxxPP-60-V-J (xxx=260-290, co 5W)  
60 ogniw: JKMSxxxPP-60-V-MX3 (xxx=260-290, co 5W)  
60 ogniw: JKMSxxxPP-60B-V-MX3 (xxx=260-290, co 5W)  
60 ogniw: JKMSxxxPP-60L-V-MX3 (xxx=260-290, co 5W)  
60 ogniw: JKMSxxxPP-60BL-V-MX3 (xxx=260-290, co 5W)  
60 ogniw: JKMxxxPP-60(Plus)-V(xxx=260-290, co 5W)

Moduły fotowoltaiczne z polikrystalicznymi krzemowymi ogniwami słonecznymi typu half-cut:

144 ogniwa typu half-cut: JKMxxxPP-72H-V (xxx=250-390, co 5W)  
144 ogniwa typu half-cut: JKMxxxPP-72HB-V (xxx=250-390, co 5W)  
144 ogniwa typu half-cut: JKMSxxxPP-72H-V-MX3 (xxx=330-380, co 5W)  
144 ogniwa typu half-cut: JKMSxxxPP-72HB-V-MX3 (xxx=330-380, co 5W)  
144 ogniwa typu half-cut: JKMSxxxPP-72HL-V-MX3 (xxx=330-380, co 5W)  
144 ogniwa typu half-cut: JKMSxxxPP-72HBL-V-MX3 (xxx=330-380, co 5W)  
120 ogniw typu half-cut: JKMxxxPP-60H-V (xxx=210-325, co 5W)  
120 ogniw typu half-cut: JKMxxxPP-60HB-V (xxx=210-325 co 5W)  
120 ogniw typu half-cut: JKMSxxxPP-60H-V-MX3 (xxx=260-315, co 5W)  
120 ogniw typu half-cut: JKMSxxxPP-60HB-V-MX3 (xxx=260-315, co 5W)  
120 ogniw typu half-cut: JKMSxxxPP-60HL-V-MX3 (xxx=260-315, co 5W)  
120 ogniw typu half-cut: JKMSxxxPP-60HBL-V-MX3 (xxx=260-315, co 5W)

Moduły fotowoltaiczne z monokrystalicznymi krzemowymi ogniwami słonecznymi:

72 ogniwa: JKMxxxM-72-V (xxx=250-420, co 5W)  
72 ogniwa: JKMXXXM-72B-V (xxx=335-410, co 5W)  
72 ogniwa: JKMxxxM-72(Plus)-V (xxx=335-410, co 5W)  
72 ogniwa: JKMxxxM-72L-V (xxx=250-420, co 5W)  
72 ogniwa: JKMXXXM-72BL-V (xxx=335-410, co 5W)  
72 ogniwa: JKMxxxM-72-V-J (xxx=250-420, co 5W)  
72 ogniwa: JKMSxxxM-72-V (xxx=335-410, co 5W)  
72 ogniwa: JKMSxxxM-72-V-J (xxx=335-410, co 5W)  
72 ogniwa: JKMSxxxM-72-V-TI (xxx=335-410, co 5W)  
72 ogniwa: JKMSxxxM-72L-V-TI (xxx=335-410, co 5W)  
72 ogniwa: JKMSxxxM-72B-V-TI (xxx=335-410, co 5W)  
72 ogniwa: JKMSxxxM-72BL-V-TI (xxx=335-410, co 5W)  
72 ogniwa: JKMSxxxM-72-V-MX3 (xxx=335-395, co 5W)  
72 ogniwa: JKMSxxxM-72B-V-MX3 (xxx=335-395, co 5W)  
72 ogniwa: JKMSxxxM-72L-V-MX3 (xxx=335-395, co 5W)  
72 ogniwa: JKMSxxxM-72BL-V-MX3 (xxx=335-395, co 5W)

[logo:] **DEKRA**

72 ogniwa: MMxxx-72LA-MBV (xxx=335-410, co 5W)  
72 ogniwa: MMxxx-72LA-ABV (xxx=335-410, co 5W)  
72 ogniwa: SMMxxx-72LA-MBV (xxx=335-410, co 5W)  
72 ogniwa: SMMxxx-72LA-MBV-TI (xxx=335-410, co 5W)  
72 ogniwa: SMMxxx-72LA-ABV-TI (xxx=335-410, co 5W)  
72 ogniwa: SMMxxx-72LA-MBV-MX3 (xxx=335-395, co 5W)  
72 ogniwa: SMMxxx-72LA-ABV-MX3 (xxx=335-395, co 5W)  
60 ogniw: JKMxxxM-60-V (xxx=270-340, co 5W)  
60 ogniw: JKMxxxM-60B-V (xxx=270-340, co 5W)  
60 ogniw: JKMxxxM-60(Plus)-V (xxx=270-340, co 5W)  
60 ogniw: JKMxxxM-60L-V (xxx=270-340, co 5W)  
60 ogniw: JKMxxxM-60BL-V (xxx=270-340, co 5W)  
60 ogniw: JKMxxxM-60-V-J (xxx=210-350, co 5W)  
60 ogniw: JKMSxxxM-60-V (xxx=270-340, co 5W)  
60 ogniw: JKMSxxxM-60-V-J (xxx=270-340, co 5W)  
60 ogniw: JKMSxxxM-60-V-TI (xxx=270-340, co 5W)  
60 ogniw: JKMSxxxM-60L-V-TI (xxx=270-340, co 5W)  
60 ogniw: JKMSxxxM-60B-V-TI (xxx=270-340, co 5W)  
60 ogniw: JKMSxxxM-60BL-V-TI (xxx=270-340, co 5W)  
60 ogniw: JKMSxxxM-60-MX-V (xxx=210-350, co 5W)  
60 ogniw: JKMSxxxM-60B-MX-V (xxx=210-350, co 5W)  
60 ogniw: JKMSxxxM-60-V-MX3 (xxx=270-340, co 5W)  
60 ogniw: JKMSxxxM-60B-V-MX3 (xxx=270-340, co 5W)  
60 ogniw: JKMSxxxM-60L-V-MX3 (xxx=270-340, co 5W)  
60 ogniw: JKMSxxxM-60BL-V-MX3 (xxx=270-340, co 5W)  
60 ogniw: MMxxx-60LA-MBV (xxx=270-340, co 5W)  
60 ogniw: MMxxx-60LA-ABV (xxx=270-340, co 5W)  
60 ogniw: SMMxxx-60LA-MBV-TI (xxx=270-340, co 5W)  
60 ogniw: SMMxxx-60LA-ABV-TI (xxx=270-340, co 5W)  
60 ogniw: SMMxxx-60LA-MBV-MX3 (xxx=270-340, co 5W)  
60 ogniw: SMMxxx-60LA-ABV-MX3 (xxx=270-340, co 5W)

Moduły fotowoltaiczne z 6-calowymi monokrystalicznymi krzemowymi ogniwami słonecznymi typu half-cut:

156 ogniw typu half-cut: JKSM3-DCCA-xxx (xxx=400-450, co 5W)  
156 ogniw typu half-cut: JKSM3-DACA-xxx (xxx=400-440, co 5W)  
156 ogniw typu half-cut: JKSN3-DCCA-xxx (xxx=410-440, co 5W)  
156 ogniw typu half-cut: JKMxxxM-78H-V (xxx=405-465, co 5W)  
156 ogniw typu half-cut: JKMSxxxM-78H-V-TI (xxx=405-465, co 5W)  
156 ogniw typu half-cut: JKMxxxM-78H-V-Q (xxx=405-465, co 5W)  
156 ogniw typu half-cut: JKMSxxxM-78H-V-TI-Q (xxx=405-465, co 5W)  
156 ogniw typu half-cut: MMxxx-78HLA-MBV (xxx=405-465, co 5W)  
156 ogniw typu half-cut: MMxxx-78HLA-MBV-TI (xxx=405-465, co 5W)  
156 ogniw typu half-cut: JKMxxxM-78HB-V (xxx=405-435, co 5W)

[logo:] **DEKRA**

156 ogniw typu half-cut: JKMSxxxM-78HB-V-TI (xxx=405-435, co 5W)  
156 ogniw typu half-cut: MMxxx-78HLA-ABV (xxx=405-435, co 5W)  
156 ogniw typu half-cut: SMMxxx-78HLA-ABV-TI (xxx=405-435, co 5W)  
156 ogniw typu half-cut: JKMxxxM-78H-TV (xxx=405-455, co 5W)  
156 ogniw typu half-cut: JKMxxxM-78H-TV-Q (xxx=405-455, co 5W)  
156 ogniw typu half-cut: MMxxx-78HLA-BBV (xxx=405-455, co 5W)  
156 ogniw typu half-cut: JKMxxxN-78H-TV (xxx=410-460, co 5W)  
156 ogniw typu half-cut: JKMxxxM-78H-MBB-V (xxx=440-465, co 5W)  
156 ogniw typu half-cut: JKMSxxxM-78H-MBB-V-MX3 (xxx=440-465, co 5W)  
156 ogniw typu half-cut: MM-78HLA-MBV-MBB (xxx=440-465, co 5W)  
156 ogniw typu half-cut: MMxxx-78HLA-MBV-MBB (xxx=440-465, co 5W)  
156 ogniw typu half-cut: JKMxxxM-7RL3-V (xxx=430-495, co 5W)  
156 ogniw typu half-cut: JKMxxxM-7RL3-V-J (xxx=430-495, co 5W)  
156 ogniw typu half-cut: JKMSxxxM-7RL3-V-TI (xxx=430-495, co 5W)  
156 ogniw typu half-cut: JKMxxxN-7RL3-V (xxx=430-500, co 5W)  
156 ogniw typu half-cut: JKMxxxN-7RL3-V-J (xxx=430-500, co 5W)  
156 ogniw typu half-cut: JKMSxxxN-7RL3-V-TI (xxx=430-500, co 5W)  
156 ogniw typu half-cut: JKMxxxM-7RL3-TV (xxx=420-475, co 5W)  
156 ogniw typu half-cut: JKMxxxM-7RL3-TV-J (xxx=420-475, co 5W)  
156 ogniw typu half-cut: JKMxxxN-7RL3-TV (xxx=425-500, co 5W)  
156 ogniw typu half-cut: JKMxxxN-7RL3-TV-J (xxx=425-500, co 5W)  
156 ogniw typu half-cut: JKMxxxM-7RL3-B-V (xxx=425-480, co 5W)  
156 ogniw typu half-cut: JKMSxxxM-7RL3-B-V-TI (xxx=425-480, co 5W)  
156 ogniw typu half-cut: JKMxxxN-7RL3-B-V (xxx=425-480, co 5W)  
156 ogniw typu half-cut: JKMSxxxN-7RL3-B-V-TI (xxx=425-480, co 5W)  
156 ogniw typu half-cut: MMxxx-7RLC-MBV (xxx=430-475, co 5W)  
156 ogniw typu half-cut: SMMxxx-7RLC-MBV-TI (xxx=430-475, co 5W)  
156 ogniw typu half-cut: MNxxx-7RLC-MBV (xxx=430-475, co 5W)  
156 ogniw typu half-cut: SMNxxx-7RLC-MBV-TI (xxx=430-475, co 5W)  
156 ogniw typu half-cut: MNxxx-7RLC-BBV (xxx=425-475, co 5W)  
156 ogniw typu half-cut: MMxxx-7RLC-BBV (xxx=420-475, co 5W)  
156 ogniw typu half-cut: MMxxx-7RLC-ABV (xxx=425-480, co 5W)  
156 ogniw typu half-cut: SMMxxx-7RLC-ABV-TI (xxx=425-480, co 5W)  
156 ogniw typu half-cut: MNxxx-7RLC-ABV (xxx=425-480, co 5W)  
156 ogniw typu half-cut: SMNxxx-7RLC-ABV-TI (xxx=425-480, co 5W)  
144 ogniwa typu half-cut: JKMxxxM-72H-V (xxx=250-450, co 5W)  
144 ogniwa typu half-cut: JKMxxxM-72HL-V (xxx=250-450, co 5W)  
144 ogniwa typu half-cut: JKMxxxM-72HB-V (xxx=335-450, co 5W)

[logo:] **DEKRA**

144 ogniwa typu half-cut: JKMxxxM-72HBL-V (xxx=335-450, co 5W)  
144 ogniwa typu half-cut: JKMSxxxM-72H-V-TI (xxx=250-450, co 5W)  
144 ogniwa typu half-cut: JKMSxxxM-72HL-V-TI (xxx=250-450, co 5W)  
144 ogniwa typu half-cut: JKMSxxxM-72HB-V-TI (xxx=335-450, co 5W)  
144 ogniwa typu half-cut: JKMSxxxM-72HBL-V-TI (xxx=335-450, co 5W)  
144 ogniwa typu half-cut: JKMxxxM-72HL-V-Q (xxx=250-450, co 5W)  
144 ogniwa typu half-cut: JKMSxxxM-72HL-V-TI-Q (xxx=335-425, co 5W )  
144 ogniwa typu half-cut: MMxxx-72HLA-MBV (xxx=335-425, co 5W)  
144 ogniwa typu half-cut: MMxxx-72HLA-ABV (xxx=335-425, co 5W)  
144 ogniwa typu half-cut: SMMxxx-72HLA-MBV-TI (xxx=335-425, co 5W)  
144 ogniwa typu half-cut: SMMxxx-72HLA-ABV-TI (xxx=335-425, co 5W)  
144 ogniwa typu half-cut: JKMxxxM-72H-TV (xxx=375-455, co 5W)  
144 ogniwa typu half-cut: JKMxxxM-72HL-TV (xxx=375-455, co 5W)  
144 ogniwa typu half-cut: JKMxxxM-72HL-TV-Q (xxx=375-425, co 5W)  
144 ogniwa typu half-cut: MMxxx-72HLA-BBV (xxx=375-425, co 5W)  
144 ogniwa typu half-cut: JKMxxxN-72H-TV (xxx=375-455, co 5W)  
144 ogniwa typu half-cut: JKMxxxN-72HL-TV (xxx=375-455, co 5W)  
144 ogniwa typu half-cut: JKMxxxN-72H-MBB-TV (xxx=390-445, co 5W)  
144 ogniwa typu half-cut: MNxxx-72HLA-BBV-MBB (xxx=390-420, co 5W)  
144 ogniwa typu half-cut: JKMxxxM-72H-MBB-TV (xxx=385-435, co 5W)  
144 ogniwa typu half-cut: MM-72HLA-BBV-MBB (xxx=385-405, co 5W)  
144 ogniwa typu half-cut: MMxxx-72HLA-BBV-MBB (xxx=385-405, co 5W)  
144 ogniwa typu half-cut: JKMxxxM-72H-MBB-V (xxx=385-425, co 5W)  
144 ogniwa typu half-cut: JKMSxxxM-72H-MBB-V-TI (xxx=385-425, co 5W)  
144 ogniwa typu half-cut: JKMSxxxM-72H-MBB-V-MX3 (xxx=385-425, co 5W)  
144 ogniwa typu half-cut: MMxxx-72HLA-MBV-MBB (xxx=385-425, co 5W)  
144 ogniwa typu half-cut: MM-72HLA-MBV-MBB (xxx=385-425, co 5W)  
144 ogniwa typu half-cut: SMM-72HLA-MBV-MBB-TI (xxx=385-425, co 5W)  
144 ogniwa typu half-cut: SMMxxx-72HLA-MBV-MBB-TI (xxx=385-425, co 5W)  
144 ogniwa typu half-cut: JKMxxxN-72H-MBB-V (xxx=385-425, co 5W)  
144 ogniwa typu half-cut: JKMSxxxN-72H-MBB-V-TI (xxx=385-425, co 5W)

[logo:] **DEKRA**

5W)  
144 ogniwa typu half-cut: MNxxx-72HLA-MBV-MBB (xxx=385-425, co 5W)  
144 ogniwa typu half-cut: SMNxxx-72HLA-MBV-MBB-TI (xxx=385-425, co 5W)  
144 ogniwa typu half-cut: JKMxxxN-72H-MBB-B-V (xxx=380-400, co 5W)  
144 ogniwa typu half-cut: JKMSxxxN-72H-MBB-B-V-TI (xxx=380-400, co 5W)  
144 ogniwa typu half-cut: MNxxx-72HLA-ABV-MBB (xxx=380-400, co 5W)  
144 ogniwa typu half-cut: SMNxxx-72HLA-ABV-MBB-TI (xxx=380-400, co 5W)  
144 ogniwa typu half-cut: JKMxxxM-72HLM-V (xxx=400-480, co 5W)  
144 ogniwa typu half-cut: JKMSxxxM-72HLM-V-MX3 (xxx=400-480, co 5W)  
144 ogniwa typu half-cut: MMxxx-72HLM-MBV (xxx=420-465, co 5W)  
144 ogniwa typu half-cut: JKMxxxM-72HLM-TV (xxx=425-460, co 5W)  
144 ogniwa typu half-cut: JKMxxxM-72HLM-B-V (xxx=415-445, co 5W)  
144 ogniwa typu half-cut: JKMSxxxM-72HLM-B-V-MX3 (xxx=415-445, co 5W)  
144 ogniwa typu half-cut: JKMSxxxM-72H-V-MX3 (xxx=335-395, co 5W)  
144 ogniwa typu half-cut: JKMSxxxM-72HB-V-MX3 (xxx=335-395, co 5W)  
144 ogniwa typu half-cut: JKMSxxxM-72HL-V-MX3 (xxx=335-395, co 5W)  
144 ogniwa typu half-cut: JKMSxxxM-72HBL-V-MX3 (xxx=335-395, co 5W)  
144 ogniwa typu half-cut: JKMSxxxM-72HL-V-MX3-Q (xxx=335-395, co 5W)  
144 ogniwa typu half-cut: SMMxxx-72HLA-MBV-MX3 (xxx=335-395, co 5W)  
144 ogniwa typu half-cut: SMMxxx-72HLA-ABV-MX3 (xxx=335-395, co 5W)  
132 ogniwa typu half-cut: JKSM3-CCCA-xxx (xxx=340-405, co 5W)  
132 ogniwa typu half-cut: JKSM3-CACA-xxx (xxx=335-390, co 5W)  
132 ogniwa typu half-cut: JKSN3-CCCA-xxx (xxx=345-390, co 5W)  
132 ogniwa typu half-cut: JKMxxxM-66H-V (xxx=340-390, co 5W)  
132 ogniwa typu half-cut: JKMSxxxM-66H-V-TI (xxx=340-390, co 5W)  
132 ogniwa typu half-cut: JKMxxxM-66H-V-Q (xxx=340-380, co 5W)  
132 ogniwa typu half-cut: MMxxx-66HLA-MBV (xxx=340-390, co 5W)  
132 ogniwa typu half-cut: SMMxxx-66HLA-MBV-TI (xxx=340-390, co 5W)  
132 ogniwa typu half-cut: JKMxxxM-66HB-V (xxx=340-365, co 5W)



[logo:] **DEKRA**

132 ogniwa typu half-cut: JKMSxxxM-66HB-V-TI (xxx=340-365, co 5W)  
132 ogniwa typu half-cut: MMxxx-66HLA-ABV (xxx=340-365, co 5W)  
132 ogniwa typu half-cut: SMMxxx-66HLA-ABV-TI (xxx=340-365, co 5W)  
132 ogniwa typu half-cut: JKMxxxM-66H-TV (xxx=340-385, co 5W)  
132 ogniwa typu half-cut: JKMxxxM-66H-TV-Q (xxx=340-395, co 5W)  
132 ogniwa typu half-cut: MMxxx-66HLA-BBV (xxx=340-385, co 5W)  
132 ogniwa typu half-cut: JKMxxxN-66H-TV (xxx=345-385, co 5W)  
132 ogniwa typu half-cut: JKMxxxM-6RL3-V (xxx=360-415, co 5W)  
132 ogniwa typu half-cut: JKMxxxM-6RL3-V-J (xxx=360-415, co 5W)  
132 ogniwa typu half-cut: JKMSxxxM-6RL3-V-TI (xxx=360-415, co 5W)  
132 ogniwa typu half-cut: JKMSxxxM-6RL3-V-MX3 (xxx=360-415, co 5W)  
132 ogniwa typu half-cut: MMxxx-6RLC-MBV (xxx=360-400, co 5W)  
132 ogniwa typu half-cut: SMMxxx-6RLC-MBV-TI (xxx=360-400, co 5W)  
132 ogniwa typu half-cut: JKMxxxN-6RL3-V (xxx=360-420, co 5W)  
132 ogniwa typu half-cut: JKMxxxN-6RL3-V-J (xxx=360-420, co 5W)  
132 ogniwa typu half-cut: JKMSxxxN-6RL3-V-TI (xxx=360-420, co 5W)  
132 ogniwa typu half-cut: JKMSxxxN-6RL3-V-MX3 (xxx=360-420, co 5W)  
132 ogniwa typu half-cut: MNxxx-6RLC-MBV (xxx=360-400, co 5W)  
132 ogniwa typu half-cut: SMNxxx-6RLC-MBV-TI (xxx=360-400, co 5W)  
132 ogniwa typu half-cut: JKMxxxM-6RL3-TV (xxx=355-400, co 5W)  
132 ogniwa typu half-cut: JKMxxxM-6RL3-TV-J (xxx=355-400, co 5W)  
132 ogniwa typu half-cut: MMxxx-6RLC-BBV (xxx=355-400, co 5W)  
132 ogniwa typu half-cut: JKMxxxN-6RL3-TV (xxx=355-420, co 5W)  
132 ogniwa typu half-cut: JKMxxxN-6RL3-TV-J (xxx=355-420, co 5W)  
132 ogniwa typu half-cut: MNxxx-6RLC-BBV (xxx=355-400, co 5W)  
132 ogniwa typu half-cut: JKMxxxM-6RL3-B-V (xxx=360-405, co 5W)  
132 ogniwa typu half-cut: JKMSxxxM-6RL3-B-V-TI (xxx=360-405, co 5W)  
132 ogniwa typu half-cut: MMxxx-6RLC-ABV (xxx=360-405, co 5W)  
132 ogniwa typu half-cut: SMMxxx-6RLC-ABV-TI (xxx=360-405, co 5W)  
132 ogniwa typu half-cut: JKMxxxN-6RL3-B-V (xxx=360-405, co 5W)  
132 ogniwa typu half-cut: JKMSxxxN-6RL3-B-V-TI (xxx=360-405, co 5W)  
132 ogniwa typu half-cut: MNxxx-6RLC-ABV (xxx=360-405, co 5W)  
132 ogniwa typu half-cut: SMNxxx-6RLC-ABV-TI (xxx=360-405, co 5W)  
132 ogniwa typu half-cut: JKMxxxM-66H-MBB-V (xxx=360-390, co 5W)  
132 ogniwa typu half-cut: JKMSxxxM-66H-MBB-V-MX3 (xxx=360-390, co 5W)  
132 ogniwa typu half-cut: MM-66HLA-MBV-MBB (xxx=370-390, co 5W)  
132 ogniwa typu half-cut: MMxxx-66HLA-MBV-MBB (xxx=370-390, co 5W)

[logo:] **DEKRA**

5W)  
120 ogniw typu half-cut: JKMxxxM-60H-V (xxx=210-350, co 5W)  
120 ogniw typu half-cut: JKMxxxM-60HB-V (xxx=270-350, co 5W)  
120 ogniw typu half-cut: JKMxxxM-60HL-V (xxx=210-350, co 5W)  
120 ogniw typu half-cut: JKMxxxM-60HBL-V (xxx=270-350, co 5W)  
120 ogniw typu half-cut: JKMSxxxM-60HB-V-TI (xxx=210-375, co 5W)  
120 ogniw typu half-cut: JKMSxxxM-60HL-V-TI (xxx=210-375, co 5W)  
120 ogniw typu half-cut: JKMxxxM-60HL-V-Q (xxx=210-375, co 5W)  
120 ogniw typu half-cut: JKMSxxxM-60HL-V-TI-Q (xxx=270-350, co 5W)  
120 ogniw typu half-cut: MMxxx-60HLA-MBV (xxx=270-350, co 5W)  
120 ogniw typu half-cut: MMxxx-60HLA-ABV (xxx=270-350, co 5W)  
120 ogniw typu half-cut: SMMxxx-60HLA-MBV-TI (xxx=270-350, co 5W)  
120 ogniw typu half-cut: SMMxxx-60HLA-ABV-TI (xxx=270-350, co 5W)  
120 ogniw typu half-cut: JKMxxxM-60H-TV (xxx=300-375, co 5W)  
120 ogniw typu half-cut: JKMxxxM-60HL-TV (xxx=300-375, co 5W)  
120 ogniw typu half-cut: JKMxxxM-60HL-TV-Q (xxx=315-355, co 5W)  
120 ogniw typu half-cut: MMxxx-60HLA-BBV (xxx=315-335, co 5W)  
120 ogniw typu half-cut: JKMxxxN-60H-TV (xxx=315-355, co 5W)  
120 ogniw typu half-cut: JKMxxxN-60HL-TV (xxx=315-355, co 5W)  
120 ogniw typu half-cut: JKMSxxxM-60H-V-MX3 (xxx=270-340, co 5W)  
120 ogniw typu half-cut: JKMSxxxM-60HB-V-MX3 (xxx=270-340, co 5W)  
120 ogniw typu half-cut: JKMSxxxM-60HL-V-MX3 (xxx=270-340, co 5W)  
120 ogniw typu half-cut: JKMSxxxM-60HBL-V-MX3 (xxx=270-340, co 5W)  
120 ogniw typu half-cut: JKMSxxxM-60HL-V-MX3-Q (xxx=270-340, co 5W)  
120 ogniw typu half-cut: SMMxxx-60HLA-MBV-MX3 (xxx=270-340, co 5W)  
120 ogniw typu half-cut: SMMxxx-60HLA-ABV-MX3 (xxx=270-340, co 5W)  
120 ogniw typu half-cut: JKMxxxN-60H-MBB-TV (xxx=330-370, co 5W)  
120 ogniw typu half-cut: MNxxx-60HLA-BBV-MBB (xxx=330-350, co 5W)  
120 ogniw typu half-cut: JKMxxxM-60H-MBB-TV (xxx=320-360, co 5W)  
120 ogniw typu half-cut: MM-60HLA-BBV-MBB (xxx=320-335, co 5W)  
120 ogniw typu half-cut: MMxxx-60HLA-BBV-MBB (xxx=320-335, co 5W)

[logo:] **DEKRA**

120 ogniów typu half-cut: JKMxxxM-60H-MBB-V (xxx=320-365, co 5W)  
120 ogniów typu half-cut: JKMSxxxM-60H-MBB-V-TI (xxx=320-355, co 5W)  
120 ogniów typu half-cut: JKMSxxxM-60H-MBB-V-MX3 (xxx=320-355, co 5W)  
120 ogniów typu half-cut: MM-60HLA-MBV-MBB (xxx=320-355, co 5W)  
120 ogniów typu half-cut: SMM-60HLA-MBV-MBB-TI (xxx=320-355, co 5W)  
120 ogniów typu half-cut: MMxxx-60HLA-MBV-MBB (xxx=320-355, co 5W)  
120 ogniów typu half-cut: SMMxxx-60HLA-MBV-MBB-TI (xxx=320-355, co 5W)  
120 ogniów typu half-cut: JKMxxxM-6TL3-V (xxx=335-380, co 5W)  
120 ogniów typu half-cut: JKMSxxxM-6TL3-V-TI (xxx=335-380, co 5W)  
120 ogniów typu half-cut: JKMSxxxM-6TL3-V-MX3 (xxx=335-380, co 5W)  
120 ogniów typu half-cut: MMxxx-6TLC-MBV (xxx=335-365, co 5W)  
120 ogniów typu half-cut: SMMxxx-6TLC-MBV-TI (xxx=335-365, co 5W)  
120 ogniów typu half-cut: JKMxxxN-6TL3-V (xxx=335-390, co 5W)  
120 ogniów typu half-cut: JKMSxxxN-6TL3-V-TI (xxx=335-390, co 5W)  
120 ogniów typu half-cut: JKMSxxxN-6TL3-V-MX3 (xxx=335-390, co 5W)  
120 ogniów typu half-cut: MNxxx-6TLC-MBV (xxx=335-365, co 5W)  
120 ogniów typu half-cut: SMNxxx-6TLC-MBV-TI (xxx=335-365, co 5W)  
120 ogniów typu half-cut: JKMxxxM-6TL3-TV (xxx=325-365, co 5W)  
120 ogniów typu half-cut: MMxxx-6TLC-BBV (xxx=325-365, co 5W)  
120 ogniów typu half-cut: JKMxxxN-6TL3-TV (xxx=325-380, co 5W)  
120 ogniów typu half-cut: MNxxx-6TLC-BBV (xxx=325-365, co 5W)  
120 ogniów typu half-cut: JKMxxxN-60H-MBB-V (xxx=320-350, co 5W)  
120 ogniów typu half-cut: JKMSxxxN-60H-MBB-V-TI (xxx=320-350, co 5W)  
120 ogniów typu half-cut: MNxxx-60HLA-MBV-MBB (xxx=320-350, co 5W)  
120 ogniów typu half-cut: SMNxxx-60HLA-MBV-MBB-TI (xxx=320-350, co 5W)  
120 ogniów typu half-cut: JKMxxxM-6TL3-B-V (xxx=320-365, co 5W)  
120 ogniów typu half-cut: JKMSxxxM-6TL3-B-V-TI (xxx=320-365, co 5W)  
120 ogniów typu half-cut: MMxxx-6TLC-ABV (xxx=320-365, co 5W)  
120 ogniów typu half-cut: SMMxxx-6TLC-ABV-TI (xxx=320-365, co 5W)  
120 ogniów typu half-cut: JKMxxxN-6TL3-B-V (xxx=320-365, co 5W)  
120 ogniów typu half-cut: JKMSxxxN-6TL3-B-V-TI (xxx=320-365, co 5W)  
120 ogniów typu half-cut: MNxxx-6TLC-ABV (xxx=320-365, co 5W)

[logo:] **DEKRA**

120 ogniw typu half-cut: SMNxxx-6TLC-ABV-TI (xxx=320-365, co 5W)  
120 ogniw typu half-cut: JKMxxxN-60H-MBB-B-V (xxx=315-330, co 5W)  
120 ogniw typu half-cut: JKMSxxxN-60H-MBB-B-V-TI (xxx=315-330, co 5W)  
120 ogniw typu half-cut: MNxxx-60HLA-ABV-MBB (xxx=315-330, co 5W)  
120 ogniw typu half-cut: SMNxxx-60HLA-ABV-MBB-TI (xxx=315-330, co 5W)  
120 ogniw typu half-cut: JKMxxxM-60HLM-V (xxx=335-400, co 5W)  
120 ogniw typu half-cut: JKMSxxxM-60HLM-V-MX3 (xxx=350-385, co 5W)  
120 ogniw typu half-cut: MMxxx-60HLM-MBV (xxx=350-385, co 5W)  
120 ogniw typu half-cut: JKMxxxM-60HLM-TV (xxx=355-380, co 5W)  
120 ogniw typu half-cut: JKMxxxM-60HLM-B-V (xxx=350-370, co 5W)  
120 ogniw typu half-cut: JKMSxxxM-60HLM-B-V-MX3 (xxx=350-370, co 5W)  
Moduły fotowoltaiczne z 7-calowymi monokrystalicznymi krzemowymi ogniwami słonecznymi typu half-cut:  
156 ogniw typu half-cut: JKMxxxM-78HL4-V (xxx=565-605, with increment of 5W)  
156 ogniw typu half-cut: MMxxx-78HLD-MBV (xxx=565-605, with increment of 5W)  
156 ogniw typu half-cut: JKMxxxM-78HL4-TV (xxx=555-595, with increment of 5W)  
156 ogniw typu half-cut: JKMxxxN-78HL4-V (xxx=570-625, with increment of 5W)  
156 ogniw typu half-cut: JKMxxxN-78HL4-TV (xxx=570-625, with increment of 5W)  
156 ogniw typu half-cut: JKMxxxM-7RL4-V (xxx=500-590, with increment of 5W)  
156 ogniw typu half-cut: JKMxxxM-7RL4-V-J (xxx=500-590, co 5W)  
156 ogniw typu half-cut: JKMxxxM-7RL4-TV (xxx=490-590, with increment of 5W)  
156 ogniw typu half-cut: JKMxxxM-7RL4-TV-J (xxx=490-590, co 5W)  
156 ogniw typu half-cut: JKMxxxN-7RL4-TV (xxx=500-605, co 5W)  
156 ogniw typu half-cut: JKMxxxN-7RL4-V (xxx=500-605, with increment of 5W)  
156 ogniw typu half-cut: JKMxxxM-7RL4-B-V (xxx=540-575, co 5W)  
156 ogniw typu half-cut: JKMxxxN-7RL4-B-V (xxx=540-575, co 5W)  
156 ogniw typu half-cut: MMxxx-7RLD-MBV (xxx=535-590, co 5W)  
156 ogniw typu half-cut: MNxxx-7RLD-MBV (xxx=535-590, co 5W)  
156 ogniw typu half-cut: MNxxx-7RLD-BBV (xxx=520-585, co 5W)  
144 ogniwa typu half-cut: JKMxxxM-72HL4-V (xxx=460-570, co 5W)  
144 ogniwa typu half-cut: JKMxxxM-72HL4-V-J (xxx=460-570, co 5W)  
144 ogniwa typu half-cut: MMxxx-72HLD-MBV (xxx=475-570, co 5W)  
144 ogniwa typu half-cut: JKMxxxM-72HL4-TV (xxx=460-565, co 5W)  
144 ogniwa typu half-cut: JKMxxxM-72HL4-TV-J (xxx=460-565, co 5W)  
144 ogniwa typu half-cut: JKMxxxM-7TL4-V (xxx=495-570, co 5W)  
144 ogniwa typu half-cut: JKMxxxM-7TL4-V-J (xxx=495-570, co 5W)  
144 ogniwa typu half-cut: MMxxx-7TLD-MBV (xxx=495-540, co 5W)  
144 ogniwa typu half-cut: JKMxxxM-7TL4-TV (xxx=485-570, co 5W)  
144 ogniwa typu half-cut: JKMxxxM-7TL4-TV-J (xxx=485-570, co 5W)  
144 ogniwa typu half-cut: JKMxxxN-72HL4-V (xxx=480-615, co 5W)

[/ogo:] **DEKRA**

144 ogniwa typu half-cut: JKMxxxN-72HL4R-V (xxx=480-615, co 5W)  
144 ogniwa typu half-cut: MNxxx-72HLD-MBV (xxx=485-555, co 5W)  
144 ogniwa typu half-cut: JKMxxxN-72HL4-TV (xxx=485-605, co 5W)  
144 ogniwa typu half-cut: JKMxxxN-72HL4R-TV (xxx=485-605, co 5W)  
144 ogniwa typu half-cut: MNxxx-72HLD-BBV (xxx=480-545, co 5W)  
144 ogniwa typu half-cut: JKMxxxN-7TL4-V (xxx=495-600, co 5W)  
144 ogniwa typu half-cut: JKMxxxN-7TL4R-V (xxx=495-600, co 5W)  
144 ogniwa typu half-cut: MNxxx-7TLD-MBV (xxx=495-540, co 5W)  
144 ogniwa typu half-cut: JKMxxxN-7TL4-TV (xxx=480-590, co 5W)  
144 ogniwa typu half-cut: JKMxxxN-7TL4R-TV (xxx=480-590, co 5W)  
144 ogniwa typu half-cut: MNxxx-7TLD-BBV (xxx=480-540, co 5W)  
144 ogniwa typu half-cut: JKMxxxM-72HL4-B-V (xxx=510-535, co 5W)  
144 ogniwa typu half-cut: JKMxxxN-72HL4-B-V (xxx=510-535, co 5W)  
144 ogniwa typu half-cut: JKMxxxM-7TL4-B-V (xxx=495-530, co 5W)  
144 ogniwa typu half-cut: JKMxxxN-7TL4-B-V (xxx=495-530, co 5W)  
132 ogniwa typu half-cut: JKMxxxM-66HL4-V (xxx=425-505, co 5W)  
132 ogniwa typu half-cut: MMxxx-66HLD-MBV (xxx=440-505, co 5W)  
132 ogniwa typu half-cut: JKMxxxM-66HL4-TV (xxx=425-505, co 5W)  
132 ogniwa typu half-cut: JKMxxxM-6RL4-V (xxx=425-495, co 5W)  
132 ogniwa typu half-cut: MMxxx-6RLD-MBV (xxx=455-495, co 5W)  
132 ogniwa typu half-cut: JKMxxxM-6RL4-TV (xxx=425-495, co 5W)  
132 ogniwa typu half-cut: JKMxxxN-66HL4-V (xxx=425-525, co 5W)  
132 ogniwa typu half-cut: MNxxx-66HLD-MBV (xxx=445-505, co 5W)  
132 ogniwa typu half-cut: JKMxxxN-66HL4-TV (xxx=440-525, co 5W)  
132 ogniwa typu half-cut: MNxxx-66HLD-BBV (xxx=440-495, co 5W)  
132 ogniwa typu half-cut: JKMxxxN-6RL4-V (xxx=425-510, co 5W)  
132 ogniwa typu half-cut: MNxxx-6RLD-MBV (xxx=455-495, co 5W)  
132 ogniwa typu half-cut: JKMxxxN-6RL4-TV (xxx=425-510, co 5W)  
132 ogniwa typu half-cut: MNxxx-6RLD-BBV (xxx=440-495, co 5W)  
132 ogniwa typu half-cut: JKMxxxM-66HL4-B-V (xxx=465-490, co 5W)  
132 ogniwa typu half-cut: JKMxxxN-66HL4-B-V (xxx=465-490, co 5W)  
132 ogniwa typu half-cut: JKMxxxM-6RL4-B-V (xxx=455-485, co 5W)  
132 ogniwa typu half-cut: JKMxxxN-6RL4-B-V (xxx=455-485, co 5W)  
120 ogniw typu half-cut: JKMxxxM-60HL4-V (xxx=385-470, co 5W)  
120 ogniw typu half-cut: MMxxx-60HLD-MBV (xxx=400-470, co 5W)  
120 ogniw typu half-cut: JKMxxxM-60HL4-TV (xxx=385-455, co 5W)  
120 ogniw typu half-cut: JKMxxxM-6TL4-V (xxx=385-450, co 5W)  
120 ogniw typu half-cut: MMxxx-6TLD-MBV (xxx=415-450, co 5W)  
120 ogniw typu half-cut: JKMxxxM-6TL4-TV (xxx=385-450, co 5W)  
120 ogniw typu half-cut: JKMxxxN-60HL4-V (xxx=405-510, co 5W)  
120 ogniw typu half-cut: JKMxxxN-60HL4R-V (xxx=405-510, co 5W)  
120 ogniw typu half-cut: MNxxx-60HLD-MBV (xxx=405-460, co 5W)  
120 ogniw typu half-cut: JKMxxxN-60HL4-TV (xxx=400-480, co 5W)  
120 ogniw typu half-cut: MNxxx-60HLD-BBV (xxx=400-450, co 5W)

[logo:] **DEKRA**

120 ogniów typu half-cut: JKMxxxN-6TL4-V (xxx=385-465, co 5W)  
120 ogniów typu half-cut: MNxxx-6TLD-MBV (xxx=415-450, co 5W)  
120 ogniów typu half-cut: JKMxxxN-6TL4-TV (xxx=385-465, co 5W)  
120 ogniów typu half-cut: MNxxx-6TLD-BBV (xxx=400-450, co 5W)  
120 ogniów typu half-cut: JKMxxxM-60HL4-B-V (xxx=425-445, co 5W)  
120 ogniów typu half-cut: JKMxxxN-60HL4-B-V (xxx=425-445, co 5W)  
120 ogniów typu half-cut: JKMxxxM-6TL4-B-V (xxx=415-440, co 5W)  
120 ogniów typu half-cut: JKMxxxN-6TL4-B-V (xxx=415-440, co 5W)  
108 ogniów typu half-cut: JKMxxxM-54HL4-V (xxx=345-420, co 5W)  
108 ogniów typu half-cut: MMxxx-54HLD-MBV (xxx=360-420, co 5W)  
108 ogniów typu half-cut: JKMxxxM-54HL4-TV (xxx=345-410, co 5W)  
108 ogniów typu half-cut: JKMxxxM-5RL4-V (xxx=345-405, co 5W)  
108 ogniów typu half-cut: MMxxx-5RLD-MBV (xxx=375-405, co 5W)  
108 ogniów typu half-cut: JKMxxxM-5RL4-TV (xxx=345-405, co 5W)  
108 ogniów typu half-cut: JKMxxxN-54HL4-V (xxx=345-455, co 5W)  
108 ogniów typu half-cut: JKMxxxN-54HL4R-V (xxx=365-455, co 5W)  
108 ogniów typu half-cut: MNxxx-54HLD-MBV (xxx=365-415, co 5W)  
108 ogniów typu half-cut: JKMxxxN-54HL4-TV (xxx=345-430, co 5W)  
108 ogniów typu half-cut: MNxxx-54HLD-BBV (xxx=380-405, co 5W)  
108 ogniów typu half-cut: JKMxxxN-5RL4-V (xxx=345-460, co 5W)  
108 ogniów typu half-cut: MNxxx-5RLD-MBV (xxx=375-405, co 5W)  
108 ogniów typu half-cut: JKMxxxN-5RL4-TV (xxx=350-415, co 5W)  
108 ogniów typu half-cut: MNxxx-5RLD-BBV (xxx=365-405, co 5W)  
108 ogniów typu half-cut: JKMxxxM-54HL4-B-V (xxx=380-400, co 5W)  
108 ogniów typu half-cut: JKMxxxN-54HL4-B-V (xxx=380-400, co 5W)  
108 ogniów typu half-cut: JKMxxxM-5RL4-B-V (xxx=375-395, co 5W)  
108 ogniów typu half-cut: JKMxxxN-5RL4-B-V (xxx=375-395, co 5W)

Moduły fotowoltaiczne z 8-calowymi monokrystalicznymi krzemowymi ogniwami słonecznymi typu half-cut:

132 ogniwa typu half-cut: JKxxxM-66R5-MWV (xxx=630-665, co 5W)  
132 ogniwa typu half-cut: JKxxxM-66R5-BTV (xxx=630-660, co 5W)  
132 ogniwa typu half-cut: JKxxxM-66H5-MWV (xxx=635-670, co 5W)  
132 ogniwa typu half-cut: JKxxxM-66H5-BTV (xxx=635-665, co 5W)  
132 ogniwa typu half-cut: JKxxxN-66H5-BTV (xxx=635-670, co 5W)

#### **Lokalizacje fabryk**

Jinko Solar (Chuzhou) Co., Ltd.  
No. 18 Liming Road, Lai'an Economic Development Zone  
239200 Chuzhou City Anhui, China

Jinko Solar (Yiwu) Co., Ltd.  
No. 1555 Chengxin Road, Niansanli Street  
322009 Yiwu City Zhejiang, China

Jinko Solar Co., Ltd.

[logo:] **DEKRA**

No. 1 Jinko Road, Shangrao Economic Development Zone  
334100 Shangrao City Jiangxi, China

Jinko Solar (Shangrao) Co., Ltd.  
No.1, Yingbin Road, Economic Development Zone  
334100 Shangrao City Jiangxi, China

Zhejiang Jinko Solar Co., Ltd.  
No.58, Yuanxi Road, Yuanhua Town  
314416 Haining City, Jiaxing City Zhejiang, China

Jinko Solar Technology Sdn. Bhd.  
Lot 10085, Plot C & D, Jalan Perusahaan, Mukim 1, Seberang Perai Tengah  
13600 Perai, Pulau Pinang, Malaysia

Vina Solar Technology Co., Ltd.  
Lot CN-03, factory E12, Van Trung Industry Zone, Viet Yen District  
21000 Bac Giang, Vietnam

Yuhuan Jinko solar Co., Ltd.  
No 5. Jinghai Road, Economic development zone  
317600 Yuhuan City Zhejiang, China

Jinko Solar Technology Sdn. Bhd.  
Plot 538 Tingkat Perusahaan 4B, Perai Free Trade Zone  
13600 Perai, Pulau Pinang, Malaysia

Jinko Solar Technology Sdn. Bhd.  
2480 Tingkat Perusahaan, Enam Perai Free Trade Zone  
13600 Perai, Pulau Pinang, Malaysia

HTSOLAR VIETNAM LIMITED COMPANY  
Factory F3-1 and F3-2, Lot F3, Trang Due Industrial park, a part of Dinh Vu-Cat Hai economic zone, Hong phong commune  
18000 An Duong District, Hai Phong, Vietnam

Jinko Solar (U.S.) Industries Inc.  
4660 Pow-Mia Memorial Parkway, Suite 200  
Jacksonville FL 32221, United States Of America

Jinko Solar (Haining) Co., Ltd.  
No. 89 Lianhong Road, Yuanhua Town  
314416 Haining City, Jiaxing City Zhejiang, China

Jinko Solar (Malaysia) Sdn. Bhd.  
Lot 393, Ladang Valdor, Kawasan Perindustrian Valdor  
14100 Sungai Jawi, Pulau Pinang, Malaysia

[logo:] **DEKRA**

Jiangsu Focus Solar Energy Technology Co., Ltd.  
No. 66, Lifa Avenue Development Zone, Hai'an County  
226600 Nantong City Jiangsu, China

GREEN WING SOLAR TECHNOLOGY VIET NAM CO., LTD.  
Leasing workshop of Hai Cuong Phat Co., Ltd. at Lot CN 5C-4, Que Vo III Industrial Park, Viet Hung  
Commune  
220000 Que Vo District, Bac Ninh, Vietnam

LDK SOLAR HI-TECH (Nanchang) Co., Ltd.  
No.1699 Tianxiang Road, Hi-Tech industrial Development Zone  
330096 Nanchang City Jiangxi, China

VIET NAM GREEN ENERGY COMMERCIAL SERVICE S CO., LTD.  
LotD1-1, DaiDong-Hoan Son Industrial Zone, Hoan Son Commune  
220000 Tien Du District, Bac Ninh, Vietnam

Jinko Solar Technology Sdn. Bhd.  
No. 1412, Lorong Perusahaan 1, Kawasan Perusahaan Perai  
13600 Perai, Pulau Pinang, Malaysia

Jinko Solar (Haining) Co., Ltd.  
No.199, Xinyue Road, Huangwan Town  
314415 Haining City Zhejiang, China

LDK Solar Hi-Tech (Nanchang) Co., Ltd.  
No.1699 Tianxiang Road, Hi-Tech industrial Development Zone  
330096 Nanchang City Jiangxi China

Jinko Solar (Feidong) Co., Ltd

No. 1, southwest corner of the intersection of Longxing Avenue and Shichi Road, Hefei Circular Economy  
Demonstration Park, Feidong County, 230061 Hefei City Anhui China

---

KONIEC



Niniejszym poświadczam zgodność powyższego tłumaczenia z dokumentem elektronicznym w języku angielskim.

Aleksandra Bacz, tłumacz przysięgły języka angielskiego, wpisany na listę tłumaczy przysięgłych, prowadzoną przez ministra sprawiedliwości, pod numerem TP/2/18.

Numer w repertorium: 565/2023

Gliwice, 16.07.2023 r.